INDEX TO
EXPERIMENTAL TECHNIQUES

Volume 11, 1987

Title Index

Affixing Strain Gages to a Conical Surface — D. Britten and J. Jeswiet, 24-26 (Apr.).

Analysis of Stress-Variation-With-Depth Measurement Procedures for the Center-Hole Method of Residual Stress Measurement — M.T. Flaman, B.E. Mills and J.M. Boag, 35-37 (June).

Automated Ultrasonic Measuring System — C.I. Umeagukwu, W.H. Peters, J.R. Dickerson and W.F. Ranson, 16-19 (Jan.).

Automatic Low-Temperature Control for Fracture Mechanics Tests — R. Beducci, J. Riviere and J.E. Perez-Ipina, 24-26 (Oct.).

Bending-Beam Method for Determining Coefficient of Thermal Expansion — R.T. Lamoureaux and N.P. Kram, 19-21 (Nov.).

Biomechanical Force-Platform Design Based on Strain Gages — C. Calder and S. Smith, 22-24 (Jan.).

Comparison of Calibration Procedures for Weldable Strain Gages to Obtain Apparent Strain Data to 400°C , A — M.T. Flaman, J.A. Herring and N.N. Shah, 31-33 (Aug.).

Comparison of Sealants for Protecting Strain Gages During Tropical Exposure, A — R.J. Chester, 22-23 (Feb.).

Computer-Aided Fine-Grid Method for Local-Strain Measurement Near a Crack-Tip in 2 1/4Cr-Mo Steel at 773K — A. Kawasaki, M. Obata and H. Shimada, 24-27 (Aug.).

Computer-Based Optical Differentiation of Fringe Patterns — J.J. Wasowski and L.M. Wasowski, 16-18 (Mar.).

Computerization of Carrier Fringe Data Acquisition, Reduction, and Display — D.W. Templeton, 26-30 (Nov.).

Determining Micrometer-Zero Settings When Making Residual-Strain Measurements Using the Hole-Drilling Strain-Gage Method — R. Pelletier and G.T. Blake, 17 (Feb.).

Determination of True Stress-Strain Curve for Incompressible Materials — J. Vossoughi, 12-14 (July).

Dynamic Bending Test Method for Generator Stator-Coil Insulation, A — S.S. Sattinger, 18-23 (Aug.).

Effect of Transverse Sensitivity of Strain Gage on the Accuracy of Computed Principal Strain — F.W. Chau, 22-23 (July).

Enhanced Laser Interferometer for Precise Displacement Measurement, An — G. Hartman and T. Nicholas, 24-26 (Feb.).

Evaluation of Delamination — An Edge Replication Study, The — D. Liu, L.S. Lillycrop, L.E. Malvern and C.T. Sun, 20-25 (May).

Extracting Isoclinics Using Image-Processing Techniques — Y.Y. Yao, 30-31 (Oct.).

Fast Procedure to Attach Strain Gages to Concrete Surface — G.R. Frederick and K.M. Tarhini, 20-21 (Jan.).

Fiber-Optic Technique for Measurement of Contact Angle in a Clearance-Fit Pin-Loaded Hole, A — R. Prabhakaran and R.A. Naik, 20-22 (Apr.).

Increasing Fatigue Strength at Sharp Inside Corners in Sheet Aluminum — J. Shewchuk and A. Lohse, 22-24 (Sept.).

Method for Mechanical Property Testing of Paperboard During Compressive Creep in a Cyclic Humidity Environment, A — J.M. Considine and D.E. Gunderson, 18-21 (Sept.).

Modeling of Thin-Walled Shells for Buckling Investigations by Electroplating: Part I — Manufacture of Models — C. Ruiz, V.K. Thompson and P.R. Murray, 22-25 (Nov.).

Modeling of Thin-Walled Shells for Buckling Investigations by Electoplating: Part II — Testing of Models — C. Ruiz and V.K. Thompson, 20-23 (Dec.).

Moiré of Moiré Interferometry — A. Asundi and M.T. Cheung, 28-30 (Aug.).

Nondestructive Detection of Simulated Delaminations in Composite Laminates by Laser-Speckle Shearography — R.F. Anastasi, S.M. Serabian, R.J. Shuford and D.K. Das-Gupta, 28-31 (June).

Notched Specimen for a Short Fatigue Crack, A — M. Ramulu and M.G. Jenkins, 32-34 (June).

Personal Computer as a Laboratory Instrument — Part I, The — T.G. Richard, 20-23 (Mar.).

Personal Computer as a Laboratory Instrument — Part II, The — T.G. Richard, 32-34 (Apr.).

Photographing Structural Failures in Very High-Pressure High-Shock Environments — S.A. Kiger, 16-19 (May).

Plaster and Wax Molds for Casting Photoelastic Models — H.E. Gascoigne, 27-29 (Oct.).

Pneumatic-Ballistic Impact Device — G.S. Nusholtz, P.S. Kaiker, Z. Lou and S.C. Richter, 18-21 (July).

Precise-Twist Measurement by Laser-Holographic Interferometry — C.B. Rao, B. Venkatraman, M.T. Shyamsunder, B. Raj and D.K. Bhattacharya, 26-27 (June).

Pressed-In Photoelastic Stress Plugs for Measurements of Stress Variations in Rocks — J.H. Lietz, B.M. Michalski and M.A. Sklodowski, 26-28 (May).

Recent Improvement Upon a Technique for Determining Dynamic-Crack Propagation Rates — P.N. Mincer and C.R. Barnes, 28-31 (Apr.).

Residual Stress Measurement in Cold-Rolled Mild Steel — J.A. Mackinnon and L.P. Pook, 15-17 (Sept.).

Separation of Principal Strains in Photoelastic Coatings by the Slitting Method — A.S. Redner, 29-32 (May).

Simple Autoclave Designs for Use in Producing Composite Laminates — M.E. Tuttle, 15-17 (July).

Some Considerations Relating to Mathar's Method for Measuring Residual Stresses — C. Cingi, 21-23 (Oct.).

Submersible 3-D Load Transducer Platform, A — A. Bazergui, N.E. Eryuzlu and J.-P. Saucet, 25-29 (Sept.).

Thrust and Motion Measurement of a Rocket-Propelled Bar — T.H. Baek and K.G. McConnell, 24-28 (Dec.).

Two-Dimensional Stress Analysis Combining High-Frequency Moiré Measurements with Finite-Element Modeling — J.A. Gilbert, T.D. Dudderar, D.R. Matthys, H.S. Johnson and R.A. Franzel, 24-28 (Mar.).

Use of High-Speed Cineradiography in Head-Impact Experiments — G.S. Nusholtz, M. Bender and P.S. Kaiker, 18-21 (Feb.).
Using Seismic Techniques to Characterize Fracture in Rock — J.F. Labuz, S.P. Shah and C.H. Dowding, 30-32 (Mar.).
What is Happening to My Paper??? — G.L. Cloud, 31-33 (Nov.).

Author Index

Anastasi, R.F. — Nondestructive Detection of Simulated Delaminations in Composite Laminates by Laser-Speckle Shearography, 28-31 (June).
Asundi, A. — Moiré of Moiré Interferometry, 28-30 (Aug.).
Baek, T.H. — Thrust and Motion Measurement of a Rocket-Propelled Bar, 24-28 (Dec.).
Barnes, C.R. — Recent Improvement Upon a Technique for Determining Dynamic-Crack Propagation Rates, 28-31 (Apr.).
Bazergui, A. — A Submersible 3-D Load Transducer Platform, 25-29 (Sept.).
Beducci, R. — Automatic Low-Temperature Control for Fracture Mechanics Tests, 24-26 (Oct.).
Bender, M. — Use of High-Speed Cineradiography in Head-Impact Experiments, 18-21 (Feb.).
Bhattacharya, D.K. — Precise-Twist Measurement by Laser-Holographic Interferometry, 26-27 (June).
Blake, G.T. — Determining Micrometer-Zero Settings When Making Residual-Strain Measurements Using the Hole-Drilling Strain-Gage Method, 17 (Feb.).
Boag, J.M. — Analysis of Stress-Variation-With-Depth Measurement Procedures for the Center-Hole Method of Residual Stress Measurement, 35-37 (June).
Britten, D. — Affixing Strain Gages to a Conical Surface, 24-26 (Apr.).
Calder, C. — Biomechanical Force-Platform Design Based on Strain Gages, 22-24 (Jan.).
Chau, F.W. — Effect of Transverse Sensitivity of Strain Gage on the Accuracy of Computed Principal Strain, 22-23 (July).
Chester, R.J. — A Comparison of Sealants for Protecting Strain Gages During Tropical Exposure, 22-23 (Feb.).
Cheung, M.T. — Moiré of Moiré Interferometry, 28-30 (Aug.).
Cingi, C. — Some Considerations Relating to Mathar's Method Measuring Residual Stresses, 21-23 (Oct.).
Cloud, G.L. — What is Happening to My Paper, 31-33 (Nov.).
Considine, J.M. — A Method for Mechanical Property Testing of Paperboard During Compressive Creep in a Cyclic Humidity Environment, 18-21 (Sept.).
Das-Gupta, D.K. — Nondestructive Detection of Simulated Delaminations in Composite Laminates by Laser-Speckle Shearography, 28-31 (June).
Dickerson, J.R. — Automated Ultrasonic Measuring System, 16-19 (Jan.).
Dowding, C.H. — Using Seismic Techniques to Characterize Fracture in Rock, 30-32 (Mar.).
Dudderar, T.D. — Two-Dimensional Stress Analysis Combining High-Frequency Moiré Measurements with Finite-Element Modeling, 24-28 (Mar.).
Eryuzlu, N.E. — A Submersible 3-D Load Transducer Platform, 25-29 (Sept.).
Flaman, M.T. — Analysis of Stress-Variation-With-Depth Measurement Procedures for the Center-Hole Method of Residual Stress Measurement, 35-37 (June).
A Comparison of Calibration Procedures for Weldable Strain Gages to Obtain Apparent Strain Data to 400°C, 31-33 (Aug.).
Franzel, R.A. — Two-Dimensional Stress Analysis Combining High-Frequency Moiré Measurements with Finite-Element Modeling, 24-28 (Mar.).
Frederick, G.R. — Fast Procedure to Attach Strain Gages to Concrete Surface, 20-21 (Jan.).
Gascoigne, H.E. — Plaster and Wax Molds for Casting Photoelastic Models, 27-29 (Oct.).
Gilbert, J.A. — Two-Dimensional Stress Analysis Combining High-Frequency Moiré Measurements with Finite-Element Modeling, 24-28 (Mar.).
Gunderson, D.E. — A Method for Mechanical Property Testing of Paperboard During Compressive Creep in a Cyclic Humidity Environment, 18-21 (Sept.).
Hartman, G. — An Enhanced Laser Interferometer for Precise Displacement Measurements, 24-26 (Feb.).
Herring, J.A. — A Comparison of Calibration Procedures for Weldable Strain Gages to Obtain Apparent Strain Data to 400°C, 31-33 (Aug.).
Jenkins, M.G. — A Notched Specimen for a Short Fatigue Crack, 32-34 (June).
Jeswiet, J. — Affixing Strain Gages to a Conical Surface, 24-26 (Apr.).
Johnson, H.S. — Two-Dimensional Stress Analysis Combining High-Frequency Moiré Measurements with Finite-Element Modeling, 24-28 (Mar.).
Kaiker, P.S. — Use of High-Speed Cineradiography in Head-Impact Experiments, 18-21 (Feb.).
Pneumatic-Ballistic Impact Device, 18-21 (July).
Kawasaki, A. — Computer-Aided Fine-Grid Method for Local-Strain Measurement Near a Crack-Tip in 2 1/4Cr-1 Mo Steel at 773K, 24-27 (Aug.).
Kiger, S.A. — Photographing Structural Failures in Very High-Pressure High-Shock Environments, 16-19 (May).
Kram, N.P. — Bending-Beam Method for Determining Coefficient of Thermal Expansion, 19-21 (Nov.).
Labuz, J.F. — Using Seismic Techniques to Characterize Fracture in Rock, 30-32 (Mar.).
Lamoureaux, R.T. — Bending-Beam Method for Determining Coefficient of Thermal Expansion, 19-21 (Nov.).
Lietz, J.H. — Pressed-In Photoelastic Stress Plugs for Measurements of Stress Variations in Rocks, 26-28 (May).
Lillycrop, L.S. — The Evaluation of Delamination — An Edge Replication Study, 20-25 (May).
Liu, D. — The Evaluation of Delamination — An Edge Replication Study, 20-25 (May).
Lohse, A. — Increasing Fatigue Strength at Sharp Inside Corners in Sheet Aluminum, 22-24 (Sept.).
Lou, Z. — Pneumatic-Ballistic Impact Device, 18-21 (July).
Mackinnon, J.A. — Residual Stress Measurement in Cold-Rolled Mild Steel, 15-17 (Sept.).
Malvern, L.E. — The Evaluation of Delamination — An Edge Replication Study, 20-25 (May).
Matthys, D.R. — Two-Dimensional Stress Analysis Combining High-Frequency Moiré Measurements with Finite-Element Modeling, 24-28 (Mar.).
McConnell, K.G. — Thrust and Motion Measurement of a Rocket-Propelled Bar, 24-28 (Dec.).
Michalski, B.M. — Pressed-In Photoelastic Stress Plugs for Measurements of Stress Variations in Rocks, 26-28 (May).
Mills, B.E. — Analysis of Stress-Variation-With-Depth Measurement Procedures for the Center-Hole Method of Residual Stress Measurement, 35-37 (June).
Mincer, P.N. — Recent Improvement Upon a Technique for Determining Dynamic-Crack Propagation Rates, 28-31 (Apr.).
Murray, P.R. — Modeling of Thin-Walled Shells for Buckling Investigations by Electroplating: Part I — Manufacture of Models, 22-25 (Nov.).
Naik, R.A. — A Fiber-Optic Technique for the Measurement of Contact Angle in a Clearance-Fit Pin-Loaded Hole, 20-22 (Apr.).

Nicholas, T. — An Enhanced Laser Interferometer for Precise Displacement Measurements, 24-26 (Feb.).
Nusholtz, G.S. — Use of High-Speed Cineradiography in Head-Impact Experiments, 18-21 (Feb.).
Pneumatic-Ballistic Impact Device, 18-21 (July).
Obata, M. — Computer-Aided Fine-Grid Method for Local-Strain Measurement Near a Crack-Tip in 2 1/4Cr-1 Mo Steel at 773K, 24-27 (Aug.).
Pelletier, R. — Determining Micrometer-Zero Settings When Making Residual-Strain Measurements Using the Hole-Drilling Strain-Gage Method, 17 (Feb.).
Perez-Ipina, J.E. — Automatic Low-Temperature Control for Fracture Mechanics Tests, 24-26 (Oct.).
Peters, W.H. — Automated Ultrasonic Measuring System, 16-19 (Jan.).
Pook, L.P. — Residual Stress Measurement in Cool-Rolled Mild Steel, 15-17 (Sept.).
Prabhakaran, R. — A Fiber-Optic Technique for the Measurement of Contact Angle in a Clearance-Fit Pin-Loaded Hole, 20-22 (Apr.).
Raj, B. — Precise-Twist Measurement by Laser-Holographic Interferometry, 26-27 (June).
Ramulu, M. — A Notched Specimen for a Short Fatigue Crack, 32-34 (June).
Ranson, W.F. — Automated Ultrasonic Measuring System, 16-19 (Jan.).
Rao, C.B. — Precise-Twist Measurement by Laser-Holographic Interferometry, 26-27 (June).
Redner, A.S. — Separation of Principal Strains in Photoelastic Coatings by the Slitting Method, 29-32 (May).
Richard, T.G. — The Personal Computer as a Laboratory Instrument — Part I, 20-23 (Mar.).
The Personal Computer as a Laboratory Instrument — Part II, 32-34 (Apr.).
Richter, S.C. — Pneumatic-Ballistic Impact Device, 18-21 (July).
Riviere, J. — Automatic Low-Temperature Control for Fracture Mechanics Tests, 24-26 (Oct.).
Ruiz, C. — Modeling of Thin-Walled Shells for Buckling Investigations by Electroplating: Part I — Manufacture of Models, 22-25 (Nov.).
Modeling of Thin-Walled Shells for Buckling Investigations by Electoplating: Part II — Testing of Models, 20-23 (Dec.).
Sattinger, S.S. — A Dynamic Bending Test Method for Generator Stator-Coil Insulation, 18-23 (Aug.).
Saucet, J.-P. — A Submersible 3-D Load Transducer Platform, 25-29 (Sept.).
Serabian, S.M. — Nondestructive Detection of Simulated Delaminations in Composite Laminates by Laser-Speckle Shearography, 28-31 (June).
Shah, N.N. — A Comparison of Calibration Procedures for Weldable Strain Gages to Obtain Apparent Strain Data to 400°C, 31-33 (Aug.).
Shah, S.P. — Using Seismic Techniques to Characterize Fracture in Rock, 30-32 (Mar.).
Shewchuk, J. — Increasing Fatigue Strength at Sharp Inside Corners in Sheet Aluminum, 22-24 (Sept.).
Shimada, H. — Computer-Aided Fine-Grid Method for Local-Strain Measurement Near a Crack-Tip in 2 1/4Cr-1 Mo Steel at 773K, 24-27 (Aug.).
Shuford, R.J. — Nondestructive Detection of Simulated Delaminations in Composite Laminates by Laser-Speckle Shearography, 28-31 (June).
Shyamsunder, M.T. — Precise-Twist Measurement by Laser-Holographic Interferometry, 26-27 (June).
Sklodowski, M.A. — Pressed-In Photoelastic Stress Plugs for Measurements of Stress Variations in Rocks, 26-28 (May).
Smith, S. — Biomechanical Force-Platform Design Based on Strain Gages, 22-24 (Jan.).
Sun, C.T. — The Evaluation of Delamination — An Edge Replication Study, 20-25 (May).
Tarhini, K.M. — Fast Procedure to Attach Strain Gages to Concrete Surface, 20-21 (Jan.).
Templeton, D.W. — Computerization of Carrier Fringe Data Acquisition, Reduction, and Display, 26-30 (Nov.).
Thompson, V.K. — Modeling of Thin-Walled Shells for Buckling Investigations by Electroplating: Part I — Manufacture of Models, 22-25 (Nov.).
Modeling of Thin-Walled Shells for Buckling Investigations by Electroplating: Part II — Testing of Models, 20-23 (Dec.).
Tuttle, M.E. — Simple Autoclave Designs for Use in Producing Composite Laminates, 15-17 (July).
Umeagukwu, C.I. — Automated Ultrasonic Measuring System, 16-19 (Jan.).
Venkatraman, B. — Precise-Twist Measurement by Laser-Holographic Interferometry, 26-27 (June).
Vossoughi, J. — Determination of True Stress-Strain Curve for Incompressible Materials, 12-14 (July).
Wasowski, J.J. — Computer-Based Optical Differentiation of Fringe Patterns, 16-18 (Mar.).
Wasowski, L.M. — Computer-Based Optical Differentiation of Fringe Patterns, 16-18 (Mar.).
Yao, Y.Y. — Extracting Isoclinics Using Image-Processing Techniques, 30-31 (Oct.).

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION

1. TITLE OF PUBLICATION	2. PUBLICATION NO.	3. DATE OF FILING
EXPERIMENTAL TECHNIQUES	0 7 3 2 8 0 1 0	9/29/87
4. FREQUENCY OF ISSUE: Monthly	5. NO. OF ISSUES PUBLISHED ANNUALLY: 12	6. ANNUAL SUBSCRIPTION PRICE: $44.00

7. COMPLETE MAILING ADDRESS OF KNOWN OFFICE OF PUBLICATION (Not printer): Society for Experimental Mechanics, Inc., 7 School St., Bethel, CT 06801

8. COMPLETE MAILING ADDRESS OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHER (Not printer): Same as above.

9. FULL NAMES AND COMPLETE MAILING ADDRESS OF PUBLISHER, EDITOR, AND MANAGING EDITOR (This item MUST NOT be blank)

PUBLISHER (Name and Complete Mailing Address): Kenneth A. Galione, Society for Experimental Mechanics, Inc., 7 Schol St., Bethel, CT

EDITOR (Name and Complete Mailing Address)

MANAGING EDITOR (Name and Complete Mailing Address): D.M. Thackrey, Society for Experimental Mechanics, Inc., 7 School St., Bethel, CT 06801

10. OWNER (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed)

FULL NAME	COMPLETE MAILING ADDRESS
Society for Experimental Mechanics, Inc.	7 School St., Bethel, CT 06801

11. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES (If there are none, so state)

FULL NAME	COMPLETE MAILING ADDRESS

12. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES (Section 423.12 DMM only)
The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes: (Check one)

(1) [X] HAS NOT CHANGED DURING PRECEDING 12 MONTHS
(2) [ ] HAS CHANGED DURING PRECEDING 12 MONTHS (If changed, publisher must submit explanation of change with this statement.)

13. EXTENT AND NATURE OF CIRCULATION	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
A. TOTAL NO. COPIES (Net Press Run)	4163	4100
B. PAID CIRCULATION 1. SALES THROUGH DEALERS AND CARRIERS, STREET VENDORS AND COUNTER SALES	0	0
2. MAIL SUBSCRIPTION	3572	3443
C. TOTAL PAID CIRCULATION (Sum of 10B1 and 10B2)	3573	3443
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES	188	175
E. TOTAL DISTRIBUTION (Sum of C and D)	3760	3618
F. COPIES NOT DISTRIBUTED 1. OFFICE USE, LEFT OVER, UNACCOUNTED, SPOILED AFTER PRINTING	403	482
2. RETURN FROM NEWS AGENTS	0	0
G. TOTAL (Sum of E, F1 and 2 - should equal net press run shown in A)	4163	4100

11. I certify that the statements made by me above are correct and complete. SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER: Kenneth A. Galione